


# X - Pins (Torx Antrieb ohne Lizenzzeichen)

## X - Pins (Torx Drive without licence-sign)

K15




Artikelnummer	beschichtet (coated)	Abmessung (dimension)	Größe (size)	Durchmesser Torx (ADS) (diameter)	D	L	d1	l1	m (C)	Bestand am 17.04.2019
5015250000		T15TXI250	T15	3,35	3,47	16,05	3,81	11,70	1,65	32
5015250049	✓	T15TXI250	T15	3,35	3,47	16,05	3,81	11,70	1,65	46
5015251000		T15TXI251	T15	3,35	3,47	16,05	3,81	11,70	1,27	30
5015251049	✓	T15TXI251	T15	3,35	3,47	16,05	3,81	11,70	1,27	48
5015252000		T15TXI252	T15	3,35	3,47	16,05	3,81	11,70	1,91	32
5015252049	✓	T15TXI252	T15	3,35	3,47	16,05	3,81	11,70	1,91	29
5015253000		T15TXI253	T15	3,35	3,47	16,05	3,81	11,70	1,02	33
5015253049	✓	T15TXI253	T15	3,35	3,47	16,05	3,81	11,70	1,02	52
5015254000		T15TXI254	T15	3,35	3,47	16,05	3,81	11,70	1,40	33
5015254049	✓	T15TXI254	T15	3,35	3,47	16,05	3,81	11,70	1,40	50
5015255000		T15TXI255	T15	3,35	3,47	16,05	3,81	11,70	0,97	33
5015255049	✓	T15TXI255	T15	3,35	3,47	16,05	3,81	11,70	0,97	54
5015256000		T15TXI256	T15	3,35	3,47	16,05	3,81	11,70	1,17	33
5015256049	✓	T15TXI256	T15	3,35	3,47	16,05	3,81	11,70	1,17	54

Werkstoff / material:  
M 42

# X - Pins (Torx Antrieb ohne Lizenzzeichen)

## X - Pins (Torx Drive without licence-sign)

K 20




Artikelnummer	beschichtet (coated)	Abmessung (dimension)	Größe (size)	Durchmesser Torx (ADS) (diameter)	D	L	d1	l1	m (C)	Bestand am 17.04.2019
5020250000		T20TXI250	T20	3,94	4,05	16,10	4,65	11,70	2,40	30
5020250049	✓	T20TXI250	T20	3,94	4,05	16,10	4,65	11,70	2,40	45
5020251000		T20TXI251	T20	3,94	4,05	16,10	4,65	11,70	1,78	31
5020251049	✓	T20TXI251	T20	3,94	4,05	16,10	4,65	11,70	1,78	64
5020252000		T20TXI252	T20	3,94	4,05	16,10	4,65	11,70	2,16	33
5020252049	✓	T20TXI252	T20	3,94	4,05	16,10	4,65	11,70	2,16	0
5020253000		T20TXI253	T20	3,94	4,05	16,10	4,65	11,70	1,40	32
5020253049	✓	T20TXI253	T20	3,94	4,05	16,10	4,65	11,70	1,40	20
5020254000		T20TXI254	T20	3,94	4,05	16,10	4,65	11,70	1,10	32
5020254049	✓	T20TXI254	T20	3,94	4,05	16,10	4,65	11,70	1,10	44
5020255000		T20TXI255	T20	3,94	4,05	16,10	4,65	11,70	1,65	33
5020255049	✓	T20TXI255	T20	3,94	4,05	16,10	4,65	11,70	1,65	0
5020256000		T20TXI256	T20	3,94	4,05	16,10	4,65	11,70	1,55	33
5020256049	✓	T20TXI256	T20	3,94	4,05	16,10	4,65	11,70	1,55	55
5020257000		T20TXI257	T20	3,94	4,05	16,10	4,65	11,70	1,05	31
5020257049	✓	T20TXI257	T20	3,94	4,05	16,10	4,65	11,70	1,05	52
5020258000		T20TXI258	T20	3,94	4,05	16,10	4,65	11,70	1,27	52
5020258049	✓	T20TXI258	T20	3,94	4,05	16,10	4,65	11,70	1,27	55

Werkstoff / material:  
M 42

# X - Pins (Torx Antrieb ohne Lizenzzeichen)

## X - Pins (Torx Drive without licence-sign)

K 25




Artikelnummer	beschichtet (coated)	Abmessung (dimension)	Größe (size)	Durchmesser Torx (ADS) (diameter)	D	L	d1	l1	m (C)	Bestand am 17.04.2019
5025250000		T25TXI250	T25	4,53	4,65	16,10	5,20	11,70	3,05	33
5025250049	✓	T25TXI250	T25	4,53	4,65	16,10	5,20	11,70	3,05	47
5025251000		T25TXI251	T25	4,53	4,65	16,10	5,20	11,70	1,77	0
5025251049	✓	T25TXI251	T25	4,53	4,65	16,10	5,20	11,70	1,77	59
5025252000		T25TXI252	T25	4,53	4,65	16,10	5,20	11,70	2,41	33
5025252049	✓	T25TXI252	T25	4,53	4,65	16,10	5,20	11,70	2,41	50
5025253000		T25TXI253	T25	4,53	4,65	16,10	5,20	11,70	1,52	33
5025253049	✓	T25TXI253	T25	4,53	4,65	16,10	5,20	11,70	1,52	54
5025254000		T25TXI254	T25	4,53	4,65	16,10	5,20	11,70	2,03	20
5025254049	✓	T25TXI254	T25	4,53	4,65	16,10	5,20	11,70	2,03	0
5025255000		T25TXI255	T25	4,53	4,65	16,10	5,20	11,70	1,24	33
5025255049	✓	T25TXI255	T25	4,53	4,65	16,10	5,20	11,70	1,24	55
5025256000		T25TXI256	T25	4,53	4,65	16,10	5,20	11,70	1,65	28
5025256049	✓	T25TXI256	T25	4,53	4,65	16,10	5,20	11,70	1,65	14

Werkstoff / material:  
M 42

# X - Pins (Torx Antrieb ohne Lizenzzeichen)

## X - Pins (Torx Drive without licence-sign)

K 30




Artikelnummer	beschichtet (coated)	Abmessung (dimension)	Größe (size)	Durchmesser Torx (ADS) (diameter)	D	L	d1	l1	m (C)	Bestand am 17.04.2019
5030250000		T30TXI250	T30	5,63	5,74	16,10	6,47	11,70	3,30	32
5030250049	✓	T30TXI250	T30	5,63	5,74	16,10	6,47	11,70	3,30	51
5030251000		T30TXI251	T30	5,63	5,74	16,10	6,47	11,70	2,41	23
5030251049	✓	T30TXI251	T30	5,63	5,74	16,10	6,47	11,70	2,41	10
5030252000		T30TXI252	T30	5,63	5,74	16,10	6,47	11,70	2,79	33
5030252049	✓	T30TXI252	T30	5,63	5,74	16,10	6,47	11,70	2,79	50
5030253000		T30TXI253	T30	5,63	5,74	16,10	6,47	11,70	1,90	31
5030253049	✓	T30TXI253	T30	5,63	5,74	16,10	6,47	11,70	1,90	54
5030254000		T30TXI254	T30	5,63	5,74	16,10	6,47	11,70	1,52	31
5030254049	✓	T30TXI254	T30	5,63	5,74	16,10	6,47	11,70	1,52	54
5030255000		T30TXI255	T30	5,63	5,74	16,10	6,47	11,70	1,22	30
5030255049	✓	T30TXI255	T30	5,63	5,74	16,10	6,47	11,70	1,22	51
5030256000		T30TXI256	T30	5,63	5,74	16,10	6,47	11,70	2,16	33
5030256049	✓	T30TXI256	T30	5,63	5,74	16,10	6,47	11,70	2,16	19
5030257000		T30TXI257	T30	5,63	5,74	16,10	6,47	11,70	2,03	32
5030257049	✓	T30TXI257	T30	5,63	5,74	16,10	6,47	11,70	2,03	55
5030258000		T30TXI258	T30	5,63	5,74	16,10	6,47	11,70	1,65	33
5030258049	✓	T30TXI258	T30	5,63	5,74	16,10	6,47	11,70	1,65	52
5030260000		T30TXI260	T30	5,63	5,74	16,10	6,47	11,70	1,78	32
5030260049	✓	T30TXI260	T30	5,63	5,74	16,10	6,47	11,70	1,78	52

Werkstoff / material:  
M 42

# X - Pins (Torx Antrieb ohne Lizenzzeichen) X - Pins (Torx Drive without licence-sign)

K 40



Artikelnummer	beschichtet (coated)	Abmessung (dimension)	Größe (size)	Durchmesser Torx (ADS) (diameter)	D	L	d1	l1	m (C)	Bestand am 17.04.2019
5040250000		T40TXI250	T40	6,78	6,89	19,35	7,65	15,00	3,55	33
5040250049	✓	T40TXI250	T40	6,78	6,89	19,35	7,65	15,00	3,55	50
5040251000		T40TXI251	T40	6,78	6,89	19,35	7,65	15,00	2,92	33
5040251049	✓	T40TXI251	T40	6,78	6,89	19,35	7,65	15,00	2,92	33
5040252000		T40TXI252	T40	6,78	6,89	19,35	7,65	15,00	3,30	33
5040252049	✓	T40TXI252	T40	6,78	6,89	19,35	7,65	15,00	3,30	44
5040253000		T40TXI253	T40	6,78	6,89	19,35	7,65	15,00	3,17	0
5040253049	✓	T40TXI253	T40	6,78	6,89	19,35	7,65	15,00	3,17	108
5040254000		T40TXI254	T40	6,78	6,89	19,35	7,65	15,00	2,59	33
5040254049	✓	T40TXI254	T40	6,78	6,89	19,35	7,65	15,00	2,59	55
5040255000		T40TXI255	T40	6,78	6,89	19,35	7,65	15,00	2,28	33
5040255049	✓	T40TXI255	T40	6,78	6,89	19,35	7,65	15,00	2,28	55
5040256000		T40TXI256	T40	6,78	6,89	19,35	7,65	15,00	1,90	33
5040256049	✓	T40TXI256	T40	6,78	6,89	19,35	7,65	15,00	1,90	55
5040257000		T40TXI257	T40	6,78	6,89	19,35	7,65	15,00	2,41	32
5040257049	✓	T40TXI257	T40	6,78	6,89	19,35	7,65	15,00	2,41	53
5040260000		T40TXI260	T40	6,78	6,89	19,35	7,65	15,00	2,16	33
5040260049	✓	T40TXI260	T40	6,78	6,89	19,35	7,65	15,00	2,16	55

Werkstoff / material:  
M 42