



Abgratmatrizen BSW 1083 mit Bund

Trimming Dies BSW 1083 with collar



unbeschichtet / uncoated:




A +0,05

Artikelnummer unbeschichtet (uncoated)	Größe (size)	SW A	D	L	C	F	S	Bestand am 07.02.2023
0621100000	2	.439" (11,16)	1.064" (27,05)	.63" (16,00)	1.14" (29,00)	1.09" (27,60)	.13" (3,20)	0
0631300000	3	.519" (13,19)	1.253" (31,83)	.63" (16,00)	1.36" (34,50)	1.29" (32,70)	.13" (3,20)	0
0641500000	4	.594" (15,08)	1.503" (38,15)	.75" (19,00)	1.61" (41,00)	1.54" (39,20)	.13" (3,20)	0
0651800000	5	.703" (17,87)	1.753" (44,53)	.87" (22,20)	1.86" (47,30)	1.79" (45,50)	.13" (3,20)	0
0652100000	5	.814" (20,67)	1.753" (44,53)	.87" (22,20)	1.86" (47,30)	1.79" (45,50)	.13" (3,20)	0
0692300000	5A	.914" (23,22)	2.003" (50,88)	1.12" (28,45)	2.12" (53,85)	2.05" (51,95)	.13" (3,20)	0
0692500000	5A	1.002" (25,46)	2.003" (50,88)	1.12" (28,45)	2.12" (53,85)	2.05" (51,95)	.13" (3,20)	0
0672500000	7	1.002" (25,46)	2.50" (63,60)	1.38" (35,00)	2.61" (66,30)	2.56" (65,00)	.14" (3,65)	0
0673000000	7	1.092" (27,75)	2.50" (63,60)	1.38" (35,00)	2.61" (66,30)	2.56" (65,00)	.14" (3,65)	0

Werkstoff / material
HSS

Abgratmatrizen ISO mit Bund (metrische Außenmaße)

Trimming Dies ISO with collar (metric outer dimensions)



beschichtet / coated.



A H10

Artikelnummer	beschichtet (coated)	Größe (size)	SW Nenn	SW A	D	L	C	S	Bestand am 07.02.2023
0710500000	✓	E1	5	4,84	19	12	21	2,0	0
0710550000	✓	E1	5,5	5,34	19	12	21	2,0	0
0710600000	✓	E1	6	5,84	19	12	21	2,0	0
0710700000	✓	E1	7	6,84	19	12	21	2,0	0
0721100000	✓	E2	11	10,75	24	14	26	2,5	0
0720800000	✓	E2	8	7,84	24	14	26	2,5	0
0720900000	✓	E2	9	8,80	24	14	26	2,5	0
0721000000	✓	E2	10	9,80	24	14	26	2,5	0
0731200000	✓	E3	12	11,75	29	16	31	2,5	0
0731300000	✓	E3	13	12,75	29	16	31	2,5	0
0731400000	✓	E3	14	13,75	29	16	31	2,5	0
0731500000	✓	E3	15	14,75	29	16	31	2,5	0
0741600000	✓	E4	16	15,75	36	18	39	3,0	0
0741700000	✓	E4	17	16,75	36	18	39	3,0	0
0741800000	✓	E4	18	17,75	36	18	39	3,0	0
0741900000	✓	E4	19	18,69	36	18	39	3,0	0
0752100000	✓	E5	21	20,69	42	20	45	3,0	0
0752200000	✓	E5	22	21,69	42	20	45	3,0	0
0752300000	✓	E5	23	22,69	42	20	45	3,0	0
0752400000	✓	E5	24	23,69	42	20	45	3,0	0
0762700000	✓	E6	27	26,69	52	22	55	3,0	0
0763000000	✓	E6	30	29,69	52	22	55	3,0	0
0763200000	✓	E6	32	31,63	52	22	55	3,0	0
0773600000	✓	E7	36	35,40	62	24	65	3,0	0
0774000000	✓	E7	40	39,40	62	24	65	3,0	0

Werkstoff / material
HSS

Abgratmatrizen ISO mit Bund für Rostfrei

Trimming Dies ISO with collar for stainless



unbeschichtet / uncoated.



A H10

Artikelnummer	beschichtet (coated)	Größe (size)	SW Nenn	SW A	D	L	C	F	S	Bestand am 07.02.2023
0810450000		1R	4,5	4,33	19,10	11,20	21,10	19,80	3,20	0
0810500000		1R	5	4,84	19,10	11,20	21,10	19,80	3,20	0
0810550000		1R	5,5	5,34	19,10	11,20	21,10	19,80	3,20	0
0810600000		1R	6	5,84	19,10	11,20	21,10	19,80	3,20	0
0810600009		1R	6	5,84	19,10	11,20	21,10	19,80	3,20	0
0810700000		1R	7	6,84	19,10	11,20	21,10	19,80	3,20	0
0810800000		1R	8	7,84	19,10	11,20	21,10	19,80	3,20	0
0810800009		1R	8	7,84	19,10	11,20	21,10	19,80	3,20	0
0810900000		1R	9	8,80	19,10	11,20	21,10	19,80	3,20	0
0821100000		2R	11	10,76	27,05	16,00	29,00	27,60	3,20	0
0821200000		2R	12	11,76	27,05	16,00	29,00	27,60	3,20	0
0821300000		2R	13	12,76	27,05	16,00	29,00	27,60	3,20	0
0831400000		2R	14	13,77	27,05	16,00	29,00	27,60	3,20	0
0820900000		2R	9	8,80	27,05	16,00	29,00	27,60	3,20	0
0821000000		2R	10	9,81	27,05	16,00	29,00	27,60	3,20	0
0821000009		2R	10	9,81	27,05	16,00	29,00	27,60	3,20	0
0831200000		3R	12	11,76	31,83	16,00	34,50	32,70	3,20	0
0831300000		3R	13	12,76	31,83	16,00	34,50	32,70	3,20	0
0841300000		4R	13	12,76	38,15	19,00	41,00	39,20	3,20	0
0841300009		4R	13	12,76	38,15	19,00	41,00	39,20	3,20	0
0841400000		4R	14	13,77	38,15	19,00	41,00	39,20	3,20	0
0841500000		4R	15	14,77	38,15	19,00	41,00	39,20	3,20	0
0841600000		4R	16	15,77	38,15	19,00	41,00	39,20	3,20	0
0841700000		4R	17	16,77	38,15	19,00	41,00	39,20	3,20	0
0892400000		5AR	24	23,73	50,88	28,45	53,85	51,95	3,20	0
0851700000		5R	17	16,77	44,53	22,20	47,30	45,50	3,20	0
0851800000		5R	18	17,77	44,53	22,20	47,30	45,50	3,20	0
0851900000		5R	19	18,72	44,53	22,20	47,30	45,50	3,20	0
0852100000		5R	21	20,72	44,53	22,20	47,30	45,50	3,20	0
0852200000		5R	22	21,72	44,53	22,20	47,30	45,50	3,20	0
0852300000		5R	23	22,72	44,53	22,20	47,30	45,50	3,20	0
0852400000		5R	24	23,73	44,53	22,20	47,30	45,50	3,20	0
0862400000		6R	24	23,73	60,10	35,00	63,00	61,60	3,65	0
0872700000		7R	27	26,73	63,60	35,00	66,30	65,00	3,65	0
0873000000		7R	30	29,74	63,60	35,00	66,30	65,00	3,65	0
0873200000		7R	32	31,68	63,60	35,00	66,30	65,00	3,65	0
0873600000		7R	36	35,48	63,60	35,00	66,30	65,00	3,65	0
0884100000		8R	41	40,48	76,30	35,00	79,00	77,20	3,65	0

Werkstoff / material
HSS

Abgratmatrizen ISO mit Bund (metrische Außenmaße)

Trimming Dies ISO with collar (metric outer dimensions)



beschichtet / coated.




A H10

Artikelnummer	beschichtet (coated)	Größe (size)	SW Nenn	SW A	D	L	C	S	Bestand am 07.02.2023
1510500000	✓	E1	5	4,84	20	12	22,0	3,20	0
1510550000	✓	E1	5,5	5,34	20	12	22,0	3,20	0
1510600000	✓	E1	6	5,84	20	12	22,0	3,20	0
1510700000	✓	E1	7	6,84	20	12	22,0	3,20	0
1521100000	✓	E2	11	10,76	25	14	27,0	3,20	0
1520800000	✓	E2	8	7,84	25	14	27,0	3,20	0
1520900000	✓	E2	9	8,80	25	14	27,0	3,20	0
1521000000	✓	E2	10	9,81	25	14	27,0	3,20	0
1531200000	✓	E3	12	11,76	30	16	32,7	3,20	0
1531300000	✓	E3	13	12,76	30	16	32,7	3,20	0
1531400000	✓	E3	14	13,77	30	16	32,7	3,20	0
1531500000	✓	E3	15	14,77	30	16	32,7	3,20	0
1541600000	✓	E4	16	15,77	38	18	40,9	3,20	0
1541700000	✓	E4	17	16,77	38	18	40,9	3,20	0
1541800000	✓	E4	18	17,77	38	18	40,9	3,20	0
1541900000	✓	E4	19	18,72	38	18	40,9	3,20	0
1552100000	✓	E5	21	20,72	44	20	46,8	3,20	0
1552200000	✓	E5	22	21,72	44	20	46,8	3,20	0
1552300000	✓	E5	23	22,72	44	20	46,8	3,20	0
1552400000	✓	E5	24	23,73	44	20	46,8	3,20	0
1562700000	✓	E6	27	26,73	54	22	56,9	3,65	0
1563000000	✓	E6	30	29,74	54	22	56,9	3,65	0
1563200000	✓	E6	32	31,68	54	22	56,9	3,65	0
1573600000	✓	E7	36	35,48	64	24	65,7	3,65	0
1574000000	✓	E7	40	39,48	64	24	65,7	3,65	0
1574100000	✓	E7	41	40,48	64	24	65,7	3,65	0

Werkstoff / material
HSS

Abgratmatrizen ISO ohne Bund (metrische Außenmaße)

Trimming Dies ISO without collar (metric outer dimensions)



beschichtet / coated.



A H10

Artikelnummer	beschichtet (coated)	Größe (size)	SW Nenn	SW A	D	L	Bestand am 07.02.2023
1010500000	✓	E1	5	4,84	20	12	0
1010550000	✓	E1	5,5	5,34	20	12	0
1010600000	✓	E1	6	5,84	20	12	0
1010700000	✓	E1	7	6,84	20	12	0
1021100000	✓	E2	11	10,75	25	14	0
1020800000	✓	E2	8	7,84	25	14	0
1020900000	✓	E2	9	8,80	25	14	0
1021000000	✓	E2	10	9,80	25	14	0
1031200000	✓	E3	12	11,75	30	16	0
1031300000	✓	E3	13	12,75	30	16	0
1031400000	✓	E3	14	13,75	30	16	0
1031500000	✓	E3	15	14,75	30	16	0
1041600000	✓	E4	16	15,75	38	18	0
1041700000	✓	E4	17	16,75	38	18	0
1041800000	✓	E4	18	17,75	38	18	0
1041900000	✓	E4	19	18,69	38	18	0
1042000000	✓	E4	20	19,69	38	18	0
1052100000	✓	E5	21	20,69	44	20	0
1052200000	✓	E5	22	21,69	44	20	0
1052300000	✓	E5	23	22,69	44	20	0
1052400000	✓	E5	24	23,69	44	20	0
1062700000	✓	E6	27	26,69	54	22	0
1063000000	✓	E6	30	29,69	54	22	0
1063200000	✓	E6	32	31,63	54	22	0
1073400000	✓	E7	34	33,48	64	24	0
1073600000	✓	E7	36	35,40	64	24	0
1074000000	✓	E7	40	39,40	64	24	0
1074100000	✓	E7	41	40,40	64	24	0

Werkstoff / material
HSS

Abgratmatrizen ISO Typ ohne Bund für Rostfrei

Trimming Dies ISO without collar for stainless



unbeschichtet / uncoated.



A H10

Artikelnummer	beschichtet (coated)	Größe (size)	SW Nenn	SW A	D	L	F	Bestand am 07.02.2023
1410500000		1R	5	4,84	19,10	11,20	18,70	0
1410550000		1R	5,5	5,34	19,10	11,20	18,70	0
1410600000		1R	6	5,84	19,10	11,20	18,70	0
1410700000		1R	7	6,84	19,10	11,20	18,70	0
1410800000		1R	8	7,84	19,10	11,20	18,70	0
1410900000		1R	9	8,80	19,10	11,20	18,70	0
1411000000		1R	10	9,81	19,10	11,20	18,70	0
1421100000		2R	11	10,76	27,05	16,00	26,60	0
1421200000		2R	12	11,76	27,05	16,00	26,60	0
1421300000		2R	13	12,76	27,05	16,00	26,60	0
1420800000		2R	8	7,84	27,05	16,00	26,60	0
1420900000		2R	9	8,80	27,05	16,00	26,60	0
1421000000		2R	10	9,81	27,05	16,00	26,60	0
1431300000		3R	13	12,76	31,83	16,00	31,40	0
1431400000		3R	14	13,77	31,83	16,00	31,40	0
1431700000		3R	17	16,77	31,83	16,00	31,40	0
1441700000		4R	17	16,77	38,15	19,00	37,70	0
1441800000		4R	18	17,77	38,15	19,00	37,70	0
1441900000		4R	19	18,72	38,15	19,00	37,70	0
1492400000		5AR	24	23,73	50,88	28,45	50,50	0
1493000000		5AR	30	29,74	50,88	28,45	50,50	0
1451900000		5R	19	18,72	44,53	22,20	44,10	0
1452200000		5R	22	21,72	44,53	22,20	44,10	0
1452400000		5R	24	23,73	44,53	22,20	44,10	0
1462400000		6R	24	23,73	60,10	35,00	59,50	0
1472700000		7R	27	26,73	63,60	35,00	63,20	0
1473000000		7R	30	29,74	63,60	35,00	63,20	0
1484100000		8R	41	40,48	63,60	35,00	63,20	0

Werkstoff / material
HSS

Abgratmatrizen ISO "gr." mit Bund und Nut

Trimming Dies ISO "gr." with collar and slot



unbeschichtet / uncoated:
beschichtet / coated.

A +0,05
A H10



Artikelnummer	beschichtet (coated)	Größe (size)	SW Nenn	SW A	D	L	C	F	S	W	H	Bestand am 07.02.2023
0210810000		1N	8	7,68	19,10	11,20	21,10	19,80	3,20	4,76	5,56	0
1210810000	✓	1N	8	7,68	19,10	11,20	21,10	19,80	3,20	4,76	5,56	0
0210910000		1N	9	8,68	19,10	11,20	21,10	19,80	3,20	4,76	5,56	0
1210910000	✓	1N	9	8,68	19,10	11,20	21,10	19,80	3,20	4,76	5,56	0
0221110000		2N	11	10,61	27,05	16,00	29,00	27,60	3,20	6,35	7,50	0
1221110000	✓	2N	11	10,61	27,05	16,00	29,00	27,60	3,20	6,35	7,50	0
0221210000		2N	12	11,61	27,05	16,00	29,00	27,60	3,20	6,35	7,50	0
1221210000	✓	2N	12	11,61	27,05	16,00	29,00	27,60	3,20	6,35	7,50	0
0221310000		2N	13	12,61	27,05	16,00	29,00	27,60	3,20	6,35	7,50	0
1221310000	✓	2N	13	12,61	27,05	16,00	29,00	27,60	3,20	6,35	7,50	0
0221010000		2N	10	9,68	27,05	16,00	29,00	27,60	3,20	6,35	7,50	0
1221010000	✓	2N	10	9,68	27,05	16,00	29,00	27,60	3,20	6,35	7,50	0
0231210000		3N	12	11,61	31,83	16,00	34,50	32,70	3,20	6,35	7,50	0
1231210000	✓	3N	12	11,61	31,83	16,00	34,50	32,70	3,20	6,35	7,50	0
0231310000		3N	13	12,61	31,83	16,00	34,50	32,70	3,20	6,35	7,50	0
1231310000	✓	3N	13	12,61	31,83	16,00	34,50	32,70	3,20	6,35	7,50	0
0231410000		3N	14	13,62	31,83	16,00	34,50	32,70	3,20	6,35	7,50	0
1231410000	✓	3N	14	13,62	31,83	16,00	34,50	32,70	3,20	6,35	7,50	0
0241310000		4N	13	12,61	38,15	19,00	41,00	39,20	3,20	7,94	9,53	0
1241310000	✓	4N	13	12,61	38,15	19,00	41,00	39,20	3,20	7,94	9,53	0
0241410000		4N	14	13,62	38,15	19,00	41,00	39,20	3,20	7,94	9,53	0
1241410000	✓	4N	14	13,62	38,15	19,00	41,00	39,20	3,20	7,94	9,53	0
0241510000		4N	15	14,62	38,15	19,00	41,00	39,20	3,20	7,94	9,53	0
1241510000	✓	4N	15	14,62	38,15	19,00	41,00	39,20	3,20	7,94	9,53	0
0241610000		4N	16	15,62	38,15	19,00	41,00	39,20	3,20	7,94	9,53	0
1241610000	✓	4N	16	15,62	38,15	19,00	41,00	39,20	3,20	7,94	9,53	0
0241710000		4N	17	16,62	38,15	19,00	41,00	39,20	3,20	7,94	9,53	0
1241710000	✓	4N	17	16,62	38,15	19,00	41,00	39,20	3,20	7,94	9,53	0
0292410000		5AN	24	23,23	50,88	28,45	53,85	51,95	3,20	11,00	13,00	0
1292410000	✓	5AN	24	23,23	50,88	28,45	53,85	51,95	3,20	11,00	13,00	0
0251710000		5N	17	16,62	44,53	22,20	47,30	45,50	3,20	9,53	9,53	0
1251710000	✓	5N	17	16,62	44,53	22,20	47,30	45,50	3,20	9,53	9,53	0
0251810000		5N	18	17,62	44,53	22,20	47,30	45,50	3,20	9,53	9,53	0
1251810000	✓	5N	18	17,62	44,53	22,20	47,30	45,50	3,20	9,53	9,53	0
0251910000		5N	19	18,54	44,53	22,20	47,30	45,50	3,20	9,53	9,53	0
1251910000	✓	5N	19	18,54	44,53	22,20	47,30	45,50	3,20	9,53	9,53	0
0252110000		5N	21	20,22	44,53	22,20	47,30	45,50	3,20	9,53	9,53	0
1252110000	✓	5N	21	20,22	44,53	22,20	47,30	45,50	3,20	9,53	9,53	0
0252210000		5N	22	21,22	44,53	22,20	47,30	45,50	3,20	9,53	9,53	0
1252210000	✓	5N	22	21,22	44,53	22,20	47,30	45,50	3,20	9,53	9,53	0
0252310000		5N	23	22,22	44,53	22,20	47,30	45,50	3,20	9,53	9,53	0
1252310000	✓	5N	23	22,22	44,53	22,20	47,30	45,50	3,20	9,53	9,53	0
0252410000		5N	24	23,23	44,53	22,20	47,30	45,50	3,20	9,53	9,53	0
1252410000	✓	5N	24	23,23	44,53	22,20	47,30	45,50	3,20	9,53	9,53	0
0262410000		6N	24	23,23	60,10	35,00	63,00	61,60	3,65	12,10	16,00	0
1262410000	✓	6N	24	23,23	60,10	35,00	63,00	61,60	3,65	12,10	16,00	0

0273010000		7N	30	29,24	63,60	35,00	66,30	65,00	3,65	12,10	16,00	0
1273010000	✓	7N	30	29,24	63,60	35,00	66,30	65,00	3,65	12,10	16,00	0

Werkstoff / material
HSS

Abgratmatrizen ISO "gr." mit Bund

Trimming Dies ISO "gr." with collar



unbeschichtet / uncoated:
beschichtet / coated.

A +0,05
A H10



Artikelnummer	beschichtet (coated)	Größe (size)	SW Nenn	SW A	D	L	C	F	S	Bestand am 07.02.2023
0110810000		1	8	7,68	19,10	11,20	21,10	19,80	3,20	0
1110810000	✓	1	8	7,68	19,10	11,20	21,10	19,80	3,20	0
0110910000		1	9	8,68	19,10	11,20	21,10	19,80	3,20	0
1110910000	✓	1	9	8,68	19,10	11,20	21,10	19,80	3,20	0
0121110000		2	11	10,61	27,05	16,00	29,00	27,60	3,20	0
1121110000	✓	2	11	10,61	27,05	16,00	29,00	27,60	3,20	0
0121210000		2	12	11,61	27,05	16,00	29,00	27,60	3,20	0
1121210000	✓	2	12	11,61	27,05	16,00	29,00	27,60	3,20	0
0121310000		2	13	12,61	27,05	16,00	29,00	27,60	3,20	0
1121310000	✓	2	13	12,61	27,05	16,00	29,00	27,60	3,20	0
0121010000		2	10	9,68	27,05	16,00	29,00	27,60	3,20	0
1121010000	✓	2	10	9,68	27,05	16,00	29,00	27,60	3,20	0
0131210000		3	12	11,61	31,83	16,00	34,50	32,70	3,20	0
1131210000	✓	3	12	11,61	31,83	16,00	34,50	32,70	3,20	0
0131310000		3	13	12,61	31,83	16,00	34,50	32,70	3,20	0
1131310000	✓	3	13	12,61	31,83	16,00	34,50	32,70	3,20	0
0131410000		3	14	13,62	31,83	16,00	34,50	32,70	3,20	0
1131410000	✓	3	14	13,62	31,83	16,00	34,50	32,70	3,20	0
0141310000		4	13	12,61	38,15	19,00	41,00	39,20	3,20	0
1141310000	✓	4	13	12,61	38,15	19,00	41,00	39,20	3,20	0
0141410000		4	14	13,62	38,15	19,00	41,00	39,20	3,20	0
1141410000	✓	4	14	13,62	38,15	19,00	41,00	39,20	3,20	0
0141510000		4	15	14,62	38,15	19,00	41,00	39,20	3,20	0
1141510000	✓	4	15	14,62	38,15	19,00	41,00	39,20	3,20	0
0141610000		4	16	15,62	38,15	19,00	41,00	39,20	3,20	0
1141610000	✓	4	16	15,62	38,15	19,00	41,00	39,20	3,20	0
0141710000		4	17	16,62	38,15	19,00	41,00	39,20	3,20	0
1141710000	✓	4	17	16,62	38,15	19,00	41,00	39,20	3,20	0
0151710000		5	17	16,62	44,53	22,20	47,30	45,50	3,20	0
1151710000	✓	5	17	16,62	44,53	22,20	47,30	45,50	3,20	0
0151810000		5	18	17,62	44,53	22,20	47,30	45,50	3,20	0
1151810000	✓	5	18	17,62	44,53	22,20	47,30	45,50	3,20	0
0151910000		5	19	18,54	44,53	22,20	47,30	45,50	3,20	0
0151910099		5	19	18,54	44,53	22,20	47,30	45,50	3,20	0
1151910000	✓	5	19	18,54	44,53	22,20	47,30	45,50	3,20	0
0152110000		5	21	20,22	44,53	22,20	47,30	45,50	3,20	0
1152110000	✓	5	21	20,22	44,53	22,20	47,30	45,50	3,20	0
0152210000		5	22	21,22	44,53	22,20	47,30	45,50	3,20	0
1152210000	✓	5	22	21,22	44,53	22,20	47,30	45,50	3,20	0
0152310000		5	23	22,22	44,53	22,20	47,30	45,50	3,20	0
1152310000	✓	5	23	22,22	44,53	22,20	47,30	45,50	3,20	0
0152410000		5	24	23,23	44,53	22,20	47,30	45,50	3,20	0
1152410000	✓	5	24	23,23	44,53	22,20	47,30	45,50	3,20	0
0192410000		5A	24	23,23	50,88	28,45	53,85	51,95	3,20	0
1192410000	✓	5A	24	23,23	50,88	28,45	53,85	51,95	3,20	0
0162410000		6	24	23,23	60,10	35,00	63,00	61,60	3,65	0
1162410000	✓	6	24	23,23	60,10	35,00	63,00	61,60	3,65	0

0172710000		7	27	26,23	63,60	35,00	66,30	65,00	3,65	0
1172710000	✓	7	27	26,23	63,60	35,00	66,30	65,00	3,65	0
0173010000		7	30	29,24	63,60	35,00	66,30	65,00	3,65	0
1173010000	✓	7	30	29,24	63,60	35,00	66,30	65,00	3,65	0
0173210000		7	32	31,08	63,60	35,00	66,30	65,00	3,65	0
1173210000	✓	7	32	31,08	63,60	35,00	66,30	65,00	3,65	0
0173610000		7	36	35,09	63,60	35,00	66,30	65,00	3,65	0
1173610000	✓	7	36	35,09	63,60	35,00	66,30	65,00	3,65	0
0184110000		8	41	40,10	76,30	35,00	79,00	77,20	3,65	0
1184110000	✓	8	41	40,10	76,30	35,00	79,00	77,20	3,65	0

Werkstoff / material
HSS

Abgratmatrizen ISO "m" mit Bund und Nut

Trimming Dies ISO "m" with collar and slot



unbeschichtet / uncoated:
beschichtet / coated.

A +0,05
A H10



Artikelnummer	beschichtet (coated)	Größe (size)	SW Nenn	SW A	D	L	C	F	S	W	H	Bestand am 07.02.2023
0210500000		1N	5	4,84	19,10	11,20	21,10	19,80	3,20	4,76	5,56	0
1210500000	✓	1N	5	4,84	19,10	11,20	21,10	19,80	3,20	4,76	5,56	0
0210550000		1N	5,5	5,34	19,10	11,20	21,10	19,80	3,20	4,76	5,56	0
1210550000	✓	1N	5,5	5,34	19,10	11,20	21,10	19,80	3,20	4,76	5,56	0
0210600000		1N	6	5,84	19,10	11,20	21,10	19,80	3,20	4,76	5,56	0
1210600000	✓	1N	6	5,84	19,10	11,20	21,10	19,80	3,20	4,76	5,56	0
0210700000		1N	7	6,84	19,10	11,20	21,10	19,80	3,20	4,76	5,56	0
1210700000	✓	1N	7	6,84	19,10	11,20	21,10	19,80	3,20	4,76	5,56	0
0210800000		1N	8	7,84	19,10	11,20	21,10	19,80	3,20	4,76	5,56	0
1210800000	✓	1N	8	7,84	19,10	11,20	21,10	19,80	3,20	4,76	5,56	0
0210900000		1N	9	8,80	19,10	11,20	21,10	19,80	3,20	4,76	5,56	0
1210900000	✓	1N	9	8,80	19,10	11,20	21,10	19,80	3,20	4,76	5,56	0
0221100000		2N	11	10,76	27,05	16,00	29,00	27,60	3,20	6,35	7,50	0
1221100000	✓	2N	11	10,76	27,05	16,00	29,00	27,60	3,20	6,35	7,50	0
0221200000		2N	12	11,76	27,05	16,00	29,00	27,60	3,20	6,35	7,50	0
1221200000	✓	2N	12	11,76	27,05	16,00	29,00	27,60	3,20	6,35	7,50	0
0221300000		2N	13	12,76	27,05	16,00	29,00	27,60	3,20	6,35	7,50	0
1221300000	✓	2N	10	12,76	27,05	16,00	29,00	27,60	3,20	6,35	7,50	0
0221000000		2N	10	9,81	27,05	16,00	29,00	27,60	3,20	6,35	7,50	0
1221000000	✓	2N	10	9,81	27,05	16,00	29,00	27,60	3,20	6,35	7,50	0
0231200000		3N	12	11,76	31,83	16,00	34,50	32,70	3,20	6,35	7,50	0
1231200000	✓	3N	12	11,76	31,83	16,00	34,50	32,70	3,20	6,35	7,50	0
0231300000		3N	13	12,76	31,83	16,00	34,50	32,70	3,20	6,35	7,50	0
1231300000	✓	3N	13	12,76	31,83	16,00	34,50	32,70	3,20	6,35	7,50	0
0231400000		3N	14	13,77	31,83	16,00	34,50	32,70	3,20	6,35	7,50	0
1231400000	✓	3N	14	13,77	31,83	16,00	34,50	32,70	3,20	6,35	7,50	0
0241300000		4N	13	12,76	38,15	19,00	41,00	39,20	3,20	7,94	9,53	0
1241300000	✓	4N	13	12,76	38,15	19,00	41,00	39,20	3,20	7,94	9,53	0
0241400000		4N	14	13,77	38,15	19,00	41,00	39,20	3,20	7,94	9,53	0
1241400000	✓	4N	14	13,77	38,15	19,00	41,00	39,20	3,20	7,94	9,53	0
0241500000		4N	15	14,77	38,15	19,00	41,00	39,20	3,20	7,94	9,53	0
1241500000	✓	4N	15	14,77	38,15	19,00	41,00	39,20	3,20	7,94	9,53	0
0241600000		4N	16	15,77	38,15	19,00	41,00	39,20	3,20	7,94	9,53	0
1241600000	✓	4N	16	15,77	38,15	19,00	41,00	39,20	3,20	7,94	9,53	0
0241700000		4N	17	16,77	38,15	19,00	41,00	39,20	3,20	7,94	9,53	0
1241700000	✓	4N	17	16,77	38,15	19,00	41,00	39,20	3,20	7,94	9,53	0
0292400000		5AN	24	23,73	50,88	28,45	53,85	51,95	3,20	11,00	13,00	0
1292400000	✓	5AN	24	23,73	50,88	28,45	53,85	51,95	3,20	11,00	13,00	0
0251700000		5N	17	16,77	44,53	22,20	47,30	45,50	3,20	9,53	9,53	0
1251700000	✓	5N	17	16,77	44,53	22,20	47,30	45,50	3,20	9,53	9,53	0
0251800000		5N	18	17,77	44,53	22,20	47,30	45,50	3,20	9,53	9,53	0
1251800000	✓	5N	18	17,77	44,53	22,20	47,30	45,50	3,20	9,53	9,53	0
0251900000		5N	19	18,72	44,53	22,20	47,30	45,50	3,20	9,53	9,53	0
1251900000	✓	5N	19	18,72	44,53	22,20	47,30	45,50	3,20	9,53	9,53	0
0252100000		5N	21	20,72	44,53	22,20	47,30	45,50	3,20	9,53	9,53	0
1252100000	✓	5N	21	20,72	44,53	22,20	47,30	45,50	3,20	9,53	9,53	0
0252200000		5N	22	21,72	44,53	22,20	47,30	45,50	3,20	9,53	9,53	0

1252200000	✓	5N	22	21,72	44,53	22,20	47,30	45,50	3,20	9,53	9,53	0
0252300000		5N	23	22,72	44,53	22,20	47,30	45,50	3,20	9,53	9,53	0
1252300000	✓	5N	23	22,72	44,53	22,20	47,30	45,50	3,20	9,53	9,53	0
0252400000		5N	24	23,73	44,53	22,20	47,30	45,50	3,20	9,53	9,53	0
1252400000	✓	5N	24	23,73	44,53	22,20	47,30	45,50	3,20	9,53	9,53	0
0262400000		6N	24	23,73	60,10	35,00	63,00	61,60	3,65	12,10	16,00	0
1262400000	✓	6N	24	23,73	60,10	35,00	63,00	61,60	3,65	12,10	16,00	0
0273000000		7N	30	29,74	63,60	35,00	66,30	65,00	3,65	12,10	16,00	0
1273000000	✓	7N	30	29,74	63,60	35,00	66,30	65,00	3,65	12,10	16,00	0

Werkstoff / material
HSS

Abgratmatrizen ISO "m" mit Bund

Trimming Dies ISO "m" with collar



unbeschichtet / uncoated:
beschichtet / coated.



A +0,05
A H10

Artikelnummer	beschichtet (coated)	Größe (size)	SW Nenn	SW A	D	L	C	F	S	Bestand am 07.02.2023
0110450000		1	4,5	4,33	19,10	11,20	21,10	19,80	3,20	0
1110450000	✓	1	4,5	4,33	19,10	11,20	21,10	19,80	3,20	0
0110500000		1	5	4,84	19,10	11,20	21,10	19,80	3,20	0
1110500000	✓	1	5	4,84	19,10	11,20	21,10	19,80	3,20	0
0110550000		1	5,5	5,34	19,10	11,20	21,10	19,80	3,20	0
1110550000	✓	1	5,5	5,34	19,10	11,20	21,10	19,80	3,20	0
0110600000		1	6	5,84	19,10	11,20	21,10	19,80	3,20	0
1110600000	✓	1	6	5,84	19,10	11,20	21,10	19,80	3,20	0
0110700000		1	7	6,84	19,10	11,20	21,10	19,80	3,20	0
1110700000	✓	1	7	6,84	19,10	11,20	21,10	19,80	3,20	0
0110800000		1	8	7,84	19,10	11,20	21,10	19,80	3,20	0
1110800000	✓	1	8	7,84	19,10	11,20	21,10	19,80	3,20	0
0110900000		1	9	8,80	19,10	11,20	21,10	19,80	3,20	0
1110900000	✓	1	9	8,80	19,10	11,20	21,10	19,80	3,20	0
0111000000		1	10	9,81	19,10	11,20	21,10	19,80	3,20	0
1111000000	✓	1	10	9,81	19,10	11,20	21,10	19,80	3,20	0
0121100000		2	11	10,76	27,05	16,00	29,00	27,60	3,20	0
1121100000	✓	2	11	10,76	27,05	16,00	29,00	27,60	3,20	0
0121200000		2	12	11,76	27,05	16,00	29,00	27,60	3,20	0
1121200000	✓	2	12	11,76	27,05	16,00	29,00	27,60	3,20	0
0121300000		2	13	12,76	27,05	16,00	29,00	27,60	3,20	0
1121300000	✓	2	13	12,76	27,05	16,00	29,00	27,60	3,20	0
1121300009	✓	2	13	12,76	27,05	16,00	29,00	27,60	3,20	0
0120550000		2	5,5	5,33	27,05	16,00	29,00	27,60	3,20	0
1120550000	✓	2	5,5	5,33	27,05	16,00	29,00	27,60	3,20	0
0120800000		2	8	7,84	27,05	16,00	29,00	27,60	3,20	0
1120800000	✓	2	8	7,84	27,05	16,00	29,00	27,60	3,20	0
0120900000		2	9	8,80	27,05	16,00	29,00	27,60	3,20	0
1120900000	✓	2	9	8,80	27,05	16,00	29,00	27,60	3,20	0
0121000000		2	10	9,81	27,05	16,00	29,00	27,60	3,20	0
1121000000	✓	2	10	9,81	27,05	16,00	29,00	27,60	3,20	0
0131100000		3	11	10,76	31,83	16,00	34,50	32,70	3,20	0
1131100000	✓	3	11	10,76	31,83	16,00	34,50	32,70	3,20	0
0131200000		3	12	11,76	31,83	16,00	34,50	32,70	3,20	0
1131200000	✓	3	12	11,76	31,83	16,00	34,50	32,70	3,20	0
0131300000		3	13	12,76	31,83	16,00	34,50	32,70	3,20	0
1131300000	✓	3	13	12,76	31,83	16,00	34,50	32,70	3,20	0
1131300006	✓	3	13	12,76	31,83	16,00	34,50	32,70	3,20	0
0131400000		3	14	13,77	31,83	16,00	34,50	32,70	3,20	0
1131400000	✓	3	14	13,77	31,83	16,00	34,50	32,70	3,20	0
0131500000		3	15	14,77	31,83	16,00	34,50	32,70	3,20	0
1131500000	✓	3	15	14,77	31,83	16,00	34,50	32,70	3,20	0
0131600000		3	16	15,77	31,83	16,00	34,50	32,70	3,20	0
1131600000	✓	3	16	15,77	31,83	16,00	34,50	32,70	3,20	0
0131700000		3	17	16,77	31,83	16,00	34,50	32,70	3,20	0
1131700000	✓	3	17	16,77	31,83	16,00	34,50	32,70	3,20	0
0141100000		4	11	10,76	31,83	16,00	34,50	32,70	3,20	0

1141100000	✔	4	11	10,76	31,83	16,00	34,50	32,70	3,20	0
0141200000		4	12	11,76	31,83	16,00	34,50	32,70	3,20	0
1141200000	✔	4	12	11,76	31,83	16,00	34,50	32,70	3,20	0
0141300000		4	13	12,76	38,15	19,00	41,00	39,20	3,20	0
0141300009		4	13	12,76	38,15	19,00	41,00	39,20	3,20	0
1141300000	✔	4	13	12,76	38,15	19,00	41,00	39,20	3,20	0
0141400000		4	14	13,77	38,15	19,00	41,00	39,20	3,20	0
1141400000	✔	4	14	13,77	38,15	19,00	41,00	39,20	3,20	0
0141500000		4	15	14,77	38,15	19,00	41,00	39,20	3,20	0
1141500000	✔	4	15	14,77	38,15	19,00	41,00	39,20	3,20	0
1141500009	✔	4	15	14,77	38,15	19,00	41,00	39,20	3,20	0
0141600000		4	16	15,77	38,15	19,00	41,00	39,20	3,20	0
1141600000	✔	4	16	15,77	38,15	19,00	41,00	39,20	3,20	0
0141700000		4	17	16,77	38,15	19,00	41,00	39,20	3,20	0
1141700000	✔	4	17	16,77	38,15	19,00	41,00	39,20	3,20	0
1141700069	✔	4	17	16,77	38,15	19,00	41,00	39,20	3,20	0
0141800000		4	18	17,77	38,15	19,00	41,00	39,20	3,20	0
1141800000	✔	4	18	17,77	38,15	19,00	41,00	39,20	3,20	0
1178295293	✔	4	18	17,77	38,15	19,00	41,00	39,20	3,20	0
0141900000		4	19	18,72	38,15	19,00	41,00	39,20	3,20	0
1141900000	✔	4	19	18,72	38,15	19,00	41,00	39,20	3,20	0
0151700000		5	17	16,77	44,53	22,20	47,30	45,50	3,20	0
1151700000	✔	5	17	16,77	44,53	22,20	47,30	45,50	3,20	0
0151800000		5	18	17,77	44,53	22,20	47,30	45,50	3,20	0
1151800000	✔	5	18	17,77	44,53	22,20	47,30	45,50	3,20	0
0151900000		5	19	18,72	44,53	22,20	47,30	45,50	3,20	0
1151900000	✔	5	19	18,72	44,53	22,20	47,30	45,50	3,20	0
0152000000		5	20	19,72	44,53	22,20	47,30	45,50	3,20	0
1152000000	✔	5	20	19,72	44,53	22,20	47,30	45,50	3,20	0
0152100000		5	21	20,72	44,53	22,20	47,30	45,50	3,20	0
1152100000	✔	5	21	20,72	44,53	22,20	47,30	45,50	3,20	0
0152200000		5	22	21,72	44,53	22,20	47,30	45,50	3,20	0
1152200000	✔	5	22	21,72	44,53	22,20	47,30	45,50	3,20	0
0152300000		5	23	22,72	44,53	22,20	47,30	45,50	3,20	0
1152300000	✔	5	23	22,72	44,53	22,20	47,30	45,50	3,20	0
0152400000		5	24	23,72	44,53	22,20	47,30	45,50	3,20	0
1152400000	✔	5	24	23,72	44,53	22,20	47,30	45,50	3,20	0
0192400000		5A	24	23,73	50,88	28,45	53,85	51,95	3,20	0
1192400000	✔	5A	24	23,73	50,88	28,45	53,85	51,95	3,20	0
0192700000		5A	27	26,73	50,88	28,45	53,85	51,95	3,20	0
1192700000	✔	5A	27	26,73	50,88	28,45	53,85	51,95	3,20	0
0162100000		6	21	20,72	60,10	35,00	63,00	61,60	3,65	0
1162100000	✔	6	21	20,72	60,10	35,00	63,00	61,60	3,65	0
0162200000		6	22	21,72	60,10	35,00	63,00	61,60	3,65	0
1162200000	✔	6	22	21,72	60,10	35,00	63,00	61,60	3,65	0
0162400000		6	24	23,73	60,10	35,00	63,00	61,60	3,65	0
1162400000	✔	6	24	23,73	60,10	35,00	63,00	61,60	3,65	0
0163000000		6	30	29,72	60,10	35,00	63,00	61,60	3,65	0
1163000000	✔	6	30	29,72	60,10	35,00	63,00	61,60	3,65	0
0172700000		7	27	26,73	63,60	35,00	66,30	65,00	3,65	0
1172700000	✔	7	27	26,73	63,60	35,00	66,30	65,00	3,65	0
0172900000		7	29	28,73	63,60	35,00	66,30	65,00	3,65	0
1172900000	✔	7	29	28,73	63,60	35,00	66,30	65,00	3,65	0
0173000000		7	30	29,74	63,60	35,00	66,30	65,00	3,65	0
1173000000	✔	7	30	29,74	63,60	35,00	66,30	65,00	3,65	0
0173200000		7	32	31,68	63,60	35,00	66,30	65,00	3,65	0
1173200000	✔	7	32	31,68	63,60	35,00	66,30	65,00	3,65	0
0173400000		7	34	33,48	63,60	35,00	66,30	65,00	3,65	0
1173400000	✔	7	34	33,48	63,60	35,00	66,30	65,00	3,65	0
0173600000		7	36	35,48	63,60	35,00	66,30	65,00	3,65	0
1173600000	✔	7	36	35,48	63,60	35,00	66,30	65,00	3,65	0
0184100000		8	41	40,48	76,30	35,00	79,00	77,20	3,65	0
0184600000		8	46	40,48	76,30	35,00	79,00	77,20	3,65	0
1184100000	✔	8	41	40,48	76,30	35,00	79,00	77,20	3,65	0
1184600000	✔	8	46	40,48	76,30	35,00	79,00	77,20	3,65	0

Abgratmatrizen ISO "m" ohne Bund

Trimming Dies ISO "m" without collar



unbeschichtet / uncoated: A +0,05
beschichtet / coated: A H10




Artikelnummer	beschichtet (coated)	Größe (size)	SW Nenn	SW A	D	L	F	Bestand am 07.02.2023
0311100000		1	11	10,76	19,10	11,20	18,70	0
1311100000	✓	1	11	10,76	19,10	11,20	18,70	0
0310400000		1	4	3,83	19,10	11,20	18,70	0
1310400000	✓	1	4	3,83	19,10	11,20	18,70	0
0310500000		1	5	4,84	19,10	11,20	18,70	0
1310500000	✓	1	5	4,84	19,10	11,20	18,70	0
0310550000		1	5,5	5,34	19,10	11,20	18,70	0
1310550000	✓	1	5,5	5,34	19,10	11,20	18,70	0
0310600000		1	6	5,84	19,10	11,20	18,70	0
1310600000	✓	1	6	5,84	19,10	11,20	18,70	0
0310700000		1	7	6,84	19,10	11,20	18,70	0
1310700000	✓	1	7	6,84	19,10	11,20	18,70	0
0310800000		1	8	7,84	19,10	11,20	18,70	0
1310800000	✓	1	8	7,84	19,10	11,20	18,70	0
0310900000		1	9	8,80	19,10	11,20	18,70	0
1310900000	✓	1	9	8,80	19,10	11,20	18,70	0
0311000000		1	10	9,81	19,10	11,20	18,70	0
1311000000	✓	1	10	9,81	19,10	11,20	18,70	0
0321100000		2	11	10,76	27,05	16,00	26,60	0
1321100000	✓	2	11	10,76	27,05	16,00	26,60	0
0321200000		2	12	11,76	27,05	16,00	26,60	0
1321200000	✓	2	12	11,76	27,05	16,00	26,60	0
0321300000		2	13	12,76	27,05	16,00	26,60	0
1321300000	✓	2	13	12,76	27,05	16,00	26,60	0
0320700000		2	7	6,83	19,10	11,20	18,70	0
1320700000	✓	2	7	6,83	19,10	11,20	18,70	0
0320800000		2	8	7,84	27,05	16,00	26,60	0
1320800000	✓	2	8	7,84	27,05	16,00	26,60	0
0320900000		2	9	8,80	27,05	16,00	26,60	0
1320900000	✓	2	9	8,80	27,05	16,00	26,60	0
0321000000		2	10	9,81	27,05	16,00	26,60	0
1321000000	✓	2	10	9,81	27,05	16,00	26,60	0
1321000006	✓	2	10	9,81	27,05	16,00	26,60	0
0331200000		3	12	11,76	31,83	16,00	31,40	0
1331200000	✓	3	12	11,76	31,83	16,00	31,40	0
0331300000		3	13	12,76	31,83	16,00	31,40	0
1331300000	✓	3	13	12,76	31,83	16,00	31,40	0
0331400000		3	14	13,77	31,83	16,00	31,40	0
1331400000	✓	3	14	13,77	31,83	16,00	31,40	0
0331500000		3	15	14,77	31,83	16,00	31,40	0
1331500000	✓	3	15	14,77	31,83	16,00	31,40	0
0331600000		3	16	15,77	31,83	16,00	31,40	0

1331600000	✔	3	16	15,77	31,83	16,00	31,40	0
0331700000		3	17	16,77	31,83	16,00	31,40	0
1331700000	✔	3	17	16,77	31,83	16,00	31,40	0
0331000000		3	10	9,81	31,83	16,00	31,40	0
1331000000	✔	3	10	9,81	31,83	16,00	31,40	0
0341300000		4	13	12,76	38,15	19,00	37,70	0
1341300000	✔	4	13	12,76	38,15	19,00	37,70	0
0341600000		4	16	15,77	38,15	19,00	37,70	0
1341600000	✔	4	16	15,77	38,15	19,00	37,70	0
0341700000		4	17	16,77	38,15	19,00	37,70	0
1341700000	✔	4	17	16,77	38,15	19,00	37,70	0
0341800000		4	18	17,77	38,15	19,00	37,70	0
1341800000	✔	4	18	17,77	38,15	19,00	37,70	0
0341900000		4	19	18,72	38,15	19,00	37,70	0
1341900000	✔	4	19	18,72	38,15	19,00	37,70	0
0351700000		5	17	16,77	44,53	22,20	44,10	0
1351700000	✔	5	17	16,77	44,53	22,20	44,10	0
0351800000		5	18	17,77	44,53	22,20	44,10	0
1351800000	✔	5	18	17,77	44,53	22,20	44,10	0
0351900000		5	19	18,72	44,53	22,20	44,10	0
1351900000	✔	5	19	18,72	44,53	22,20	44,10	0
0352100000		5	21	20,72	44,53	22,20	44,10	0
1352100000	✔	5	21	20,72	44,53	22,20	44,10	0
0352200000		5	22	21,72	44,53	22,20	44,10	0
1352200000	✔	5	22	21,72	44,53	22,20	44,10	0
0352400000		5	24	23,73	44,53	22,20	44,10	0
1352400000	✔	5	24	23,73	44,53	22,20	44,10	0
0392100000		5A	21	20,72	50,88	28,45	50,50	0
1392100000	✔	5A	21	20,72	50,88	28,45	50,50	0
0392200000		5A	22	21,72	50,88	28,45	50,50	0
1392200000	✔	5A	22	21,72	50,88	28,45	50,50	0
0392400000		5A	24	23,73	50,88	28,45	50,50	0
1392400000	✔	5A	24	23,73	50,88	28,45	50,50	0
828286337	✔	5A	27	26,73	50,88	28,45	50,50	0
0392700000		5A	27	26,73	50,88	28,45	50,50	0
1392700000	✔	5A	27	26,73	50,88	28,45	50,50	0
0362100000		6	21	20,72	6,10	35,00	59,50	0
1362100000	✔	6	21	20,72	6,10	35,00	59,50	0
0362400000		6	24	23,73	6,10	35,00	59,50	0
1362400000	✔	6	24	23,73	6,10	35,00	59,50	0
0363000000		6	30	29,74	6,10	35,00	59,50	0
1363000000	✔	6	30	29,74	6,10	35,00	59,50	0
0372200000		7	22	21,72	63,60	35,00	63,20	0
1372200000	✔	7	22	21,72	63,60	35,00	63,20	0
0372700000		7	27	26,73	63,60	35,00	63,20	0
1372700000	✔	7	27	26,73	63,60	35,00	63,20	0
0373000000		7	30	29,74	63,60	35,00	63,20	0
1373000000	✔	7	30	29,74	63,60	35,00	63,20	0
0373200000		7	32	31,68	63,60	35,00	63,20	0
1373200000	✔	7	32	31,68	63,60	35,00	63,20	0
0373400000		7	34	33,48	63,60	35,00	63,20	0
1373400000	✔	7	34	33,48	63,60	35,00	63,20	0
0373600000		7	36	35,48	63,60	35,00	63,20	0
1373600000	✔	7	36	35,48	63,60	35,00	63,20	0
0384100000		8	41	40,48	76,30	35,00	75,80	0
1384100000	✔	8	41	40,48	76,30	35,00	75,80	0
0384600000		8	46	45,48	76,30	35,00	75,80	0
1384600000	✔	8	46	45,48	76,30	35,00	75,80	0

Werkstoff / material
HSS

Abgratmatrizen UNC/UNF ASA B 18 mit Bund

Trimming Dies UNC/UNF ASA B 18 with collar




unbeschichtet / uncoated: A +0,05
 beschichtet / coated: A H10

Artikelnummer unbeschichtet (uncoated)	Größe (size)	SW Nenn	SW A	D	L	C	F	S	Bestand am 07.02.2023
0410600000	1	1/4"	.244" (6,21)	.752" (19,10)	.44" (11,20)	.83" (21,10)	.78" (19,80)	.13" (3,20)	0
0410800000	1	5/16"	.305" (7,76)	.752" (19,10)	.44" (11,20)	.83" (21,10)	.78" (19,80)	.13" (3,20)	0
0421100000	2	7/16"	.429" (10,90)	1.064" (27,05)	.63" (16,00)	1.14" (29,00)	1.09" (27,60)	.13" (3,20)	0
0421200000	2	1/2"	.490" (12,45)	1.064" (27,05)	.63" (16,00)	1.14" (29,00)	1.09" (27,60)	.13" (3,20)	0
0431200000	3	1/2"	.490" (12,45)	1.253" (31,83)	.63" (16,00)	1.36" (34,50)	1.29" (32,70)	.13" (3,20)	0
0431400000	3	9/16"	.552" (14,03)	1.253" (31,83)	.63" (16,00)	1.36" (34,50)	1.29" (32,70)	.13" (3,20)	0
2244286675	3	9/16"	.552" (14,03)	1.253" (31,83)	.63" (16,00)	1.36" (34,50)	1.29" (32,70)	.13" (3,20)	0
2244294777	3	9/16"	.552" (14,03)	1.253" (31,83)	.63" (16,00)	1.36" (34,50)	1.29" (32,70)	.13" (3,20)	0
0441400000	4	9/16"	.552" (14,03)	1.503" (38,15)	.75" (19,00)	1.61" (41,00)	1.54" (39,20)	.13" (3,20)	0
0441600000	4	5/8"	.613" (15,58)	1.503" (38,15)	.75" (19,00)	1.61" (41,00)	1.54" (39,20)	.13" (3,20)	0
0451900000	5	3/4"	.737" (18,73)	1.753" (44,53)	.87" (22,20)	1.86" (47,30)	1.79" (45,50)	.13" (3,20)	0
0452000000	5	13/16"	.799" (20,31)	1.753" (44,53)	.87" (22,20)	1.86" (47,30)	1.79" (45,50)	.13" (3,20)	0
2244286676	5	13/16"	.799" (20,31)	1.753" (44,53)	.87" (22,20)	1.86" (47,30)	1.79" (45,50)	.13" (3,20)	0
0452300000	5	15/16"	.924" (23,47)	1.753" (44,53)	.87" (22,20)	1.86" (47,30)	1.79" (45,50)	.13" (3,20)	0
0492300000	5A	15/15"	.924" (23,47)	2.003" (50,88)	1.12" (28,45)	2.12" (53,85)	2.05" (51,95)	.13" (3,20)	0
0492500000	5A	1"	.985" (25,02)	2.003" (50,88)	1.12" (28,45)	2.12" (53,85)	2.05" (51,95)	.13" (3,20)	0
0472800000	7	11/8"	1.102" (28,00)	2.50" (63,60)	1.38" (35,00)	2.61" (66,30)	2.26" (65,00)	.14" (3,65)	0

Werkstoff / material
 HSS

Abgratmatrizen UNC/UNF ASA B 18 mit Bund und Nut

Trimming Dies UNC/UNF ASA B 18 with collar and slot





unbeschichtet / uncoated: A +0,05
 beschichtet / coated: A H10

Artikelnummer unbeschichtet (uncoated)	Größe (size)	SW Nenn							Bestand am 07.02.2023
SW A	D	L	C	F	S	W	H		
0510700000	1N	1/4"							
.244" (6,21)	.752" (19,10)	.44" (11,20)	.83" (21,10)	.78" (19,80)	.13" (3,20)	.19" (4,76)	.22" (5,56)	0	
0510800000	1N	5/16"							
.305" (7,76)	.752" (19,10)	.44" (11,20)	.83" (21,10)	.78" (19,80)	.13" (3,20)	.19" (4,76)	.22" (5,56)	0	
0521100000	2N	7/16"							
.429" (10,90)	1.064" (27,05)	.63" (16,00)	1.14" (29,00)	1.09" (27,60)	.13" (3,20)	.25" (6,35)	.29" (7,50)	0	
0521200000	2N	1/2"							
.490" (12,45)	1.064" (27,05)	.63" (16,00)	1.14" (29,00)	1.09" (27,60)	.13" (3,20)	.25" (6,35)	.29" (7,50)	0	
0531200000	3N	1/2"							
.490" (12,45)	1.253" (31,83)	.63" (16,00)	1.36" (34,50)	1.29" (32,70)	.13" (3,20)	.25" (6,35)	.29" (7,50)	0	
0531400000	3N	9/16"							
.552" (14,03)	1.253" (31,83)	.63" (16,00)	1.36" (34,50)	1.29" (32,70)	.13" (3,20)	.25" (6,35)	.29" (7,50)	0	
0541400000	4N	9/16"							
.552" (14,03)	1.503" (38,15)	.75" (19,00)	1.61" (41,00)	1.54" (39,20)	.13" (3,20)	.31" (7,94)	.37" (9,53)	0	
0541600000	4N	5/8"							
.613" (15,58)	1.503" (38,15)	.75" (19,00)	1.61" (41,00)	1.54" (39,20)	.13" (3,20)	.31" (7,94)	.37" (9,53)	0	
0592300000	5AN	15/15"							
.924" (23,47)	2.003" (50,88)	1.12" (28,45)	2.12" (53,85)	2.05" (51,95)	.13" (3,20)	.043" (11,00)	.051" (13,00)	0	
0592500000	5AN	1"							
.985" (25,02)	2.003" (50,88)	1.12" (28,45)	2.12" (53,85)	2.05" (51,95)	.13" (3,20)	.043" (11,00)	.051" (13,00)	0	
0551900000	5N	3/4"							
.737" (18,73)	1.753" (44,53)	.87" (22,20)	1.86" (47,30)	1.79" (45,50)	.13" (3,20)	.37" (9,53)	.37" (9,53)	0	
0552050000	5N	13/16"							
.799" (20,31)	1.753" (44,53)	.87" (22,20)	1.86" (47,30)	1.79" (45,50)	.13" (3,20)	.37" (9,53)	.37" (9,53)	0	
0552300000	5N	15/16"							
.924" (23,47)	1.753" (44,53)	.87" (22,20)	1.86" (47,30)	1.79" (45,50)	.13" (3,20)	.37" (9,53)	.37" (9,53)	0	

Werkstoff / material
HSS

Abgratmatrizen UNC/UNF ASA B 18 ohne Bund für Rostfrei

Trimming Dies UNC/UNF ASA B 18 without collar for stainless



unbeschichtet / uncoated.

A H10

Artikelnummer unbeschichtet (uncoated)	Größe (size)	SW Nenn	SW A	D	L	F	S	Bestand am 07.02.2023
0910600000	1R	1/4"	.244" (6,21)	.752" (19,10)	.44" (11,20)	.78" (19,80)	.13" (3,20)	0
0910800000	1R	5/16"	.305" (7,76)	.752" (19,10)	.44" (11,20)	.78" (19,80)	.13" (3,20)	0
0921100000	2R	7/16"	.429" (10,90)	1.064" (27,05)	.63" (16,00)	1.09" (27,60)	.13" (3,20)	0
2244286673	2R	7/16"	.429" (10,90)	1.064" (27,05)	.63" (16,00)	1.09" (27,60)	.13" (3,20)	0
0921200000	2R	1/2"	.490" (12,45)	1.064" (27,05)	.63" (16,00)	1.09" (27,60)	.13" (3,20)	0
0931200000	3R	1/2"	.490" (12,45)	1.253" (31,83)	.63" (16,00)	1.29" (32,70)	.13" (3,20)	0
2244286674	3R	1/2"	.490" (12,45)	1.253" (31,83)	.63" (16,00)	1.29" (32,70)	.13" (3,20)	0
0931400000	3R	9/16"	.552" (14,03)	1.253" (31,83)	.63" (16,00)	1.29" (32,70)	.13" (3,20)	0
0941400000	4R	9/16"	.552" (14,03)	1.503" (38,15)	.75" (19,00)	1.54" (39,20)	.13" (3,20)	0
0941600000	4R	5/8"	.613" (15,58)	1.503" (38,15)	.75" (19,00)	1.54" (39,20)	.13" (3,20)	0
0992300000	5AR	15/15"	.924" (23,47)	2.003" (50,88)	1.12" (28,45)	2.05" (51,95)	.13" (3,20)	0
0992500000	5AR	1"	.985" (25,02)	2.003" (50,88)	1.12" (28,45)	2.05" (51,95)	.13" (3,20)	0
0951900000	5R	3/4"	.737" (18,73)	1.753" (44,53)	.87" (22,20)	1.79" (45,50)	.13" (3,20)	0
0952000000	5R	13/16"	.799" (20,31)	1.753" (44,53)	.87" (22,20)	1.79" (45,50)	.13" (3,20)	0
0952300000	5R	15/16"	.924" (23,47)	1.753" (44,53)	.87" (22,20)	1.79" (45,50)	.13" (3,20)	0
0972800000	7R	1 1/8"	1.102" (28,00)	2.50" (63,60)	1.38" (35,00)	2.56" (65,00)	.14" (3,65)	0

Werkstoff / material
HSS